

Subject Index of Volume 34

Absorption

- preparation of nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with citric acid method and its XPS study on, of oxygen, 58

Active layer thickness

- effect of, on leakage current in p^+pp^+ accumulation polycrystalline Si TFTs, 62

Alloy

- martensitic transformation and shape memory effect in Fe-33Ni-12Co-5Ti alloy, 14

Aluminium

- chemical stability of inviscid melt-spun (IMS) fibres of calcia-alumina in aqueous media, 219
- crystal chemistry and magnetic properties of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.10$): evidence for Cr^{3+} clustering, 300
- thermolysis of mixed alums: route to mesoporous chromia-alumina, 214
- viscosity of eutectic calcia-alumina melts, 81

Annealing

- characterization of as-deposited and annealed indium oxide thin films, 119

Antimony

- activator (Mn, Sb) speciation in phosphors for fluorescent lamps, 270

Barium

- microstructure and magnetic properties of R_2BaNiO_3 ($\text{R} = \text{Sm, Gd, Yb and Lu}$), 233
- photoelectrochemical studies and mixed oxide bronze $\text{Ba}_3\text{Nb}_4\text{Ti}_4\text{O}_{21}$, 295
- superconducting properties of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110

Bismuth

- kinetic study of formation of $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic superconductor, 157
- nonaqueous chemical bath deposition of Bi_2S_3 thin films, 313
- optimization of melt-solidification process for $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick films, 162

Block copolymers

- synthesis and characterization of, of polyether sulphone with liquid crystalline polyesters, 28

Calcium

- chemical stability of inviscid melt-spun (IMS) fibres of calcia-alumina in aqueous media, 219
- crystal chemistry and magnetic properties of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.10$): evidence for Cr^{3+} clustering, 300
- kinetic study of formation of $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic superconductor, 157
- optimization of melt-solidification process for $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick films, 162
- viscosity of eutectic calcia-alumina melts, 81

C-C composite

- pitch fibre-phenolic/CVI matrix; microstructure of, 244

C_{60} clusters

- electronic energy calculation of, 78

Ceramic

- kinetic study of formation of $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic superconductor, 157
- '001' microstructure of highly textured YBCO ceramic, 201

Cerium

- fluorescence spectra of Ce^{3+} -doped alkaline earth and lanthanide oxyhalide powder phosphors, 310

Chemical bath deposition

- nonaqueous, of Bi_2S_3 thin films 313

Chemical stability

- of inviscid melt-spun (IMS) fibres of calcia-alumina in aqueous media, 219

Chromium

- crystal chemistry and magnetic properties of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.10$): evidence for Cr^{3+} clustering, 300
- thermolysis of mixed alums: route to mesoporous chromia-alumina, 214

Citric acid method

- preparation of nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with, and its XPS study on absorption of oxygen, 58

Clustering

- Cr^{3+} : evidence for: crystal chemistry and magnetic properties of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.10$), 300

Clusters

- C_{60} : electronic energy calculation of, 78

C-mineral adsorbents

- new type of sorbents: surface properties and methods of its modification, 123

Cobalt

- martensitic transformation and shape memory effect in Fe-33Ni-12Co-5Ti alloy, 14
- preparation of nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with citric acid method and its XPS study on absorption of oxygen, 58

Computer simulation studies

- on electrodeposition of Zn, 290

Conductance

- universal, fluctuations in magnetic field, 251

Copper

- CuInSe_2 for photovoltaics: critical assessment, 1
- kinetic study of formation of $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic superconductor, 157
- optimization of melt-solidification process for $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick films, 162
- structural and optical properties of sprayed CuInS_2 thin films, 24
- superconducting properties of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110
- synthesis and characterization of nanocrystalline powders of pure Ni and, 205

Corrosion

- and isotopic effects of materials, 91

Crystal chemistry

- and magnetic properties of K_2NiF_4 type diluted solid solu-

- tion $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 \leq x \leq 0.10$): evidence for Cr^{3+} clustering, 300
- Crystallization**
and gel synthesis of $\text{Li}_2\text{O} \cdot 3\text{GeO}_2$ glass powders, 86
and solid phase amorphization in multilayer and bilayer Rh-Si thin films, 274
of polypropylene: isothermal kinetics, 46
of polypropylene: non-isothermal kinetics, 52
- Crystals**
behaviour of tetragonal to monoclinic transition in hot pressed zirconia doped with 2 mol% yttria, 317
flux-grown YbFeO_3 single; fracture toughness and hardness studies on, 257
liquid crystalline polyesters; synthesis and characterization of block copolymers of polyether sulphone with, 28
 NaCl:Ni^{2+} ; drift of impurities toward dislocations in, 228
nanocrystalline powders of pure Ni and Cu; synthesis and characterization of, 205
nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with citric acid method and its XPS study on absorption of oxygen; preparation of, 58
 p^+pp^+ accumulation polycrystalline Si TFTs; effect of active layer thickness on leakage current in, 62
polycrystalline titanium molybdate; electrical transport properties of, 285
quasi-2D crystal growth on structureless 3-methyl-methoxy-nitrostilbene thin films, 142
single crystal-like zirconia particles; procedure for achieving, 154
- CVD growth**
modified, and characterization of ZnO thin films, 41
- Doping**
behaviour of tetragonal to monoclinic transition in hot pressed zirconia doped with 2 mol% yttria, 317
fluorescence spectra of Ce^{3+} -doped alkaline earth and lanthanide oxyhalide powder phosphors, 310
laser Raman and FT-IR studies of pure and Zn-doped TGS, 73
- Electrical transport properties**
of polycrystalline titanium molybdate, 285
- Electrochemical deposition**
of iron sulphide thin films on tin oxide substrates, 263
- Electrodeposition**
computer simulation studies on, of Zn, 290
- Electronic energy calculation**
of C_{60} clusters, 78
- Electronic properties**
and molecular structure of SH_n ($n=2, 4$) molecules: *ab initio* SCF study, 115
- Erbium**
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R}=\text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
- Ethylene glycol bath**
sulphamate-; plating, properties and structure of Ni deposits from, 238
- Fibres**
chemical stability of inviscid melt-spun (IMS) fibres of calcia-alumina in aqueous media, 219
microstructure of pitch fibre-phenolic/CVI matrix C-C composite, 244
- Films**
as-deposited and annealed indium oxide thin; characterization of, 119
- $\text{Bi}_{1-x}\text{Pb}_x\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick; optimization of melt-solidification process for, 162
 Bi_2S_3 thin; nonaqueous chemical bath deposition of, 313
iron sulphide thin; electrochemical deposition of, on tin oxide substrates, 263
multilayer and bilayer Rh-Si thin; solid phase amorphization and crystallization in, 274
oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ on MgO and SrTiO_3 substrates; superconducting properties of, 110
passivating; discontinuity of, at nonmetallic inclusions in stainless steels, 181
sprayed CuInS_2 thin; structural and optical properties of, 24
structureless 3-methyl-methoxy-nitrostilbene thin; quasi-2D crystal growth on, 142
ZnO thin; modified CVD growth and characterization of, 41
- Fluorescence spectra**
of Ce^{3+} -doped alkaline earth and lanthanide oxyhalide powder phosphors, 310
- Fluorescent lamps**
activator (Mn, Sb) speciation in phosphors for, 270
- Forsterite**
and PVB and organic solvent; characteristics of tape casting slurries containing, 147
- Fracture toughness**
and hardness studies on flux-grown YbFeO_3 single crystals, 257
- Gadolinium**
microstructure and magnetic properties of R_2BaNiO_5 ($\text{R}=\text{Sm}, \text{Gd}, \text{Yb}$ and Lu), 233
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R}=\text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
- Germanium**
gel synthesis and crystallization of $\text{Li}_2\text{O} \cdot 3\text{GeO}_2$ glass powders, 86
X-ray analysis and IR absorption spectra of Li-Ge ferrite, 35
- Glass powders**
 $\text{Li}_2\text{O} \cdot 3\text{GeO}_2$; gel synthesis and crystallization of, 86
- Hafnium**
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R}=\text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
- Hardness studies**
and fracture toughness on flux-grown YbFeO_3 single crystals, 257
- Impurities**
drift of, toward dislocations in NaCl:Ni^{2+} crystals, 228
- Indium**
characterization of as-deposited and annealed indium oxide thin films, 119
 CuInSe_2 for photovoltaics: critical assessment, 1
structural and optical properties of sprayed CuInS_2 thin films, 24
- Iron**
discontinuity of passivating film at nonmetallic inclusions in stainless steels, 181
fracture toughness and hardness studies on flux-grown YbFeO_3 single crystals, 257
martensitic transformation and shape memory effect in Fe-33Ni-12Co-5Ti alloy, 14

- preparation of nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with citric acid method and its XPS study on absorption of oxygen, 58
- X-ray analysis and IR absorption spectra of Li-Ge ferrite, 35
- Isothermal kinetics**
crystallization of polypropylene, 46
- Isotopic effects**
and corrosion of materials, 91
- Lanthanum**
fluorescence spectra of Ce^{3+} -doped alkaline earth and lanthanide oxyhalide powder phosphors, 310
- preparation of nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with citric acid method and its XPS study on absorption of oxygen, 58
- Lead**
kinetic study of formation of $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic superconductor, 157
- optimization of melt-solidification process for $\text{Bi}_{1.6}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick films, 162
- Leakage current**
effect of active layer thickness on, in p^+pp^+ accumulation polycrystalline Si TFTs, 62
- Lithium**
gel synthesis and crystallization of $\text{Li}_2\text{O} \cdot 3\text{GeO}_2$ glass powders, 86
- X-ray analysis and IR absorption spectra of Li-Ge ferrite, 35
- Lutetium**
microstructure and magnetic properties of R_2BaNiO_3 ($\text{R} = \text{Sm, Gd, Yb and Lu}$), 233
- Magnesium**
characteristics of tape casting slurries containing forsterite, PVB and organic solvent, 147
- superconducting properties of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110
- Magnetic field**
universal conductance fluctuations in, 251
- Magnetic properties**
and crystal chemistry of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 \leq x \leq 0.10$): evidence for Cr^{3+} clustering, 300
- and microstructure of R_2BaNiO_3 ($\text{R} = \text{Sm, Gd, Yb and Lu}$), 233
- Manganese**
activator (Mn, Sb) speciation in phosphors for fluorescent lamps, 270
- Martensitic transformation**
and shape memory effect in Fe-33Ni-12Co-5Ti alloy, 14
- Melt-solidification process**
optimization of, for $\text{Bi}_{1.6}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick films, 162
- 3-Methyl-methoxy-nitrostilbene**
structureless, thin films; quasi-2D crystal growth on, 142
- Microstructure**
'001', of highly textured YBCO ceramic, 201
- and magnetic properties of R_2BaNiO_3 ($\text{R} = \text{Sm, Gd, Yb and Lu}$), 233
- of pitch fibre-phenolic/CVI matrix C-C composite, 244
- Molecular structure**
and electronic properties of SH_n ($n = 2, 4$) molecules: *ab initio* SCF study, 115
- Molybdenum**
electrical transport properties of polycrystalline titanium molybdate, 285
- spectroscopic study of MoCl_3 -derived species via sol-gel method, 101
- Nickel**
crystal chemistry and magnetic properties of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 \leq x \leq 0.10$): evidence for Cr^{3+} clustering, 300
- drift of impurities toward dislocations in NaCl:Ni^{2+} crystals, 228
- martensitic transformation and shape memory effect in Fe-33Ni-12Co-5Ti alloys, 14
- microstructure and magnetic properties of R_2BaNiO_3 ($\text{R} = \text{Sm, Gd, Yb and Lu}$), 233
- plating, properties and structure of Ni deposits from sulphamate-ethylene glycol bath, 238
- synthesis and characterization of nanocrystalline powders of pure Cu and, 205
- Niobium**
photoelectrochemical studies on mixed oxide bronze $\text{Ba}_3\text{Nb}_4\text{Ti}_4\text{O}_{21}$, 295
- Non-isothermal kinetics**
crystallization of polypropylene, 52
- Optical properties**
and structural properties of sprayed CuInS_2 thin films, 24
- Phase equilibria**
in system $\text{YPO}_4\text{-Na}_4\text{P}_2\text{O}_7\text{-NaPO}_3$, 68
- Phosphors**
activator (Mn, Sb) speciation in, for fluorescent lamps, 270
- fluorescence spectra of Ce^{3+} -doped alkaline earth and lanthanide oxyhalide powder phosphors, 310
- Phosphorus**
phase equilibria in system $\text{YPO}_4\text{-Na}_4\text{P}_2\text{O}_7\text{-NaPO}_3$, 68
- Photoelectrochemical studies**
on mixed oxide bronze $\text{Ba}_3\text{Nb}_4\text{Ti}_4\text{O}_{21}$, 295
- Photovoltaics**
 CuInSe_2 for: critical assessment, 1
- Physical properties**
and structure of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R} = \text{Sc, Yb, Y, Tb, Gd, Er}$), 175
- Plating**
and properties and structure of Ni deposits from sulphamate-ethylene glycol bath, 238
- Point defect interaction**
precipitate strain relief via: models for SiO_2 in Si, 166
- Poly(carboxylic acid)**
-polypyrrole conducting composites, 306
- Polyesters**
liquid crystalline; synthesis and characterization of block copolymers of polyether sulphone with, 28
- Polyether sulphone**
synthesis and characterization of block copolymers of, with liquid crystalline polyesters, 28
- Polypropylene**
crystallization of: isothermal kinetics, 46
- crystallization of: non-isothermal kinetics, 52
- Polypyrrole**
-poly(carboxylic acid) conducting composites, 306
- Potassium**
crystal chemistry and magnetic properties of K_2NiF_4 type

- diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.10$); evidence for Cr^{3+} clustering, 300
- PVB**
and forsterite and organic solvent; characteristics of tape casting slurries containing, 147
- Rhodium**
solid phase amorphization and crystallization in multilayer and bilayer Rh-Si thin films, 274
- Samarium**
microstructure and magnetic properties of R_2BaNiO_3 ($\text{R} = \text{Sm}, \text{Gd}, \text{Yb}$ and Lu), 233
- Scandium**
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R} = \text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
- SCF study**
ab initio: molecular structure and electronic properties of SH_n ($n = 2, 4$) molecules, 115
- Selenium**
 CuInSe_2 for photovoltaics: critical assessment, 1
- Shape memory effect**
and martensitic transformation in Fe-33Ni-12Co-5Ti alloy, 14
- Silicon**
characteristics of tape casting slurries containing forsterite, PVB and organic solvent, 147
effect of active layer thickness on leakage current in p^+pp^+ accumulation polycrystalline Si TFTs, 62
precipitate strain relief via point defect interaction: models for SiO_2 in Si, 166
solid phase amorphization and crystallization in multilayer and bilayer Rh-Si thin films, 274
- Slurries**
tape casting; characteristics of, containing forsterite, PVB and organic solvent, 147
- Sodium**
drift of impurities toward dislocations in NaCl:Ni^{2+} crystals, 228
phase equilibria in system $\text{YPO}_4\text{-Na}_4\text{P}_2\text{O}_7\text{-NaPO}_3$, 68
- Sol-gel method**
spectroscopic study of MoCl_5 -derived species via, 101
- Solid phase amorphization**
and crystallization in multilayer and bilayer Rh-Si thin films, 274
- Sorbents**
new type of: C-mineral adsorbents: surface properties and methods of its modification, 123
- Spectra**
fluorescence, of Ce^{3+} -doped alkaline earth and lanthanide oxyhalide powder phosphors, 310
IR absorption, and X-ray analysis of Li-Ge ferrite, 35
- Spectroscopy**
laser Raman and FT-IR studies of pure and Zn-doped TGS, 73
preparation of nanocrystalline solid material $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ with citric acid method and its XPS study on absorption of oxygen, 58
spectroscopic study of MoCl_5 -derived species via sol-gel method, 101
- Stainless steels**
discontinuity of passivating film at nonmetallic inclusions in, 181
- Strain relief**
precipitate, via point defect interaction: models for SiO_2 in Si, 166
- Strontium**
kinetic study of formation of $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic superconductor, 157
optimization of melt-solidification process for $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c superconductor thick films, 162
superconducting properties of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110
- Structural properties**
and optical properties of sprayed CuInS_2 thin films, 24
- Sulphur**
electrochemical deposition of iron sulphide thin films on tin oxide substrates, 263
nonaqueous chemical bath deposition of Bi_2S_3 thin films, 313
plating, properties and structure of Ni deposits from sulphamate-ethylene glycol bath, 238
structural and optical properties of sprayed CuInS_2 thin films, 24
synthesis and characterization of block copolymers of polyether sulphone with liquid crystalline polyesters, 28
- Superconducting oxides**
high-temperature: some recent developments in: work review, 185
- Superconducting properties**
of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110
- Superconductor**
 $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Ca}_2\text{Sr}_2\text{Cu}_3\text{O}_x$ high- T_c thick films; optimization of melt-solidification process for, 162
 $\text{Bi}_{1.8}\text{Pb}_{0.2}\text{Sr}_2\text{Ca}_2\text{Cu}_2\text{O}_x$ ceramic; kinetic study of formation of, 157
- Surface properties**
and methods of its modification: C-mineral adsorbents — new type of sorbents, 123
- Synthesis**
and characterization of block copolymers of polyether sulphone with liquid crystalline polyesters, 28
and characterization of nanocrystalline powders of pure Ni and Cu, 205
gel, and crystallization of $\text{Li}_2\text{O} \cdot 3\text{GeO}_2$ glass powders, 86
- Terbium**
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R} = \text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
- TFTs**
 p^+pp^+ accumulation polycrystalline Si; effect of active layer thickness on leakage current in, 62
- TGS**
pure and Zn-doped; laser Raman and FT-IR studies of, 73
- Thermolysis**
of mixed alums; route to mesoporous chromia-alumina, 214
- Tin**
electrochemical deposition of iron sulphide thin films on tin oxide substrates, 263
- Titanium**
electrical transport properties of polycrystalline titanium molybdate, 285
martensitic transformation and shape memory effect in Fe-33Ni-12Co-5Ti alloy, 14
photoelectrochemical studies on mixed oxide bronze $\text{Ba}_3\text{Nb}_4\text{Ti}_4\text{O}_{21}$, 295

- superconducting properties of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110
- Viscosity
of eutectic calcia-alumina melts, 81
- X-ray analysis
and IR absorption spectra of Li-Ge ferrite, 35
- Ytterbium
fracture toughness and hardness studies on flux-grown YbFeO_3 single crystals, 257
microstructure and magnetic properties of R_2BaNiO_5 ($\text{R}=\text{Sm}, \text{Gd}, \text{Yb}$ and Lu), 233
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R}=\text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
- Yttrium
behaviour of tetragonal to monoclinic transition in hot pressed zirconia doped with 2 mol% yttria, 317
- crystal chemistry and magnetic properties of K_2NiF_4 type diluted solid solution $\text{YCaAl}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.10$): evidence for Cr^{3+} clustering, 300
phase equilibria in system $\text{YPO}_4\text{-Na}_4\text{P}_2\text{O}_7\text{-NaPO}_3$, 68
structure and physical properties of stabilized $\text{HfO}_2\text{-R}_2\text{O}_3$ ($\text{R}=\text{Sc}, \text{Yb}, \text{Y}, \text{Tb}, \text{Gd}, \text{Er}$), 175
superconducting properties of oriented $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on MgO and SrTiO_3 substrates, 110
- Zinc
computer simulation studies on electrodeposition of, 290
laser Raman and FT-IR studies of pure and Zn-doped TGS, 73
modified CVD growth and characterization of ZnO thin films, 41
- Zirconium
behaviour of tetragonal to monoclinic transition in hot pressed zirconia doped with 2 mol% yttria, 317
procedure for achieving single crystal-like zirconia particles, 154